| M     | NCHACA   | DAILY APPARATUS CHECK        |                |              |           |         |                |  |  |  |  |
|-------|--|------------------------------|----------------|--------------|-----------|---------|----------------|--|--|--|--|
|       |  | DATE:                        | SHIFT:         | UNIT:        |           |         | LICENSE PLATE: |  |  |  |  |
| k     | IRE-RESCUE   |                              | A1 A2 B1 B2 C1 | C2 ENG BT TE | EN CM BAT | 501 511 |                |  |  |  |  |
| ✓     | ITEM   | -                            | NOTES          |              |           |         |                |  |  |  |  |
|       | Interio<br>Best Practice   | r of Apparatus<br>ss step 1  |                |              |           |         |                |  |  |  |  |
|       | Gauges and Switches<br>Best Practices step 2                             |                              |                |              |           |         |                |  |  |  |  |
|       | Fuel Level<br>Best Practices step 3                                      |                              |                |              |           |         |                |  |  |  |  |
|       | Siren/Horn<br>Best Practices step 4                                      |                              |                |              |           |         |                |  |  |  |  |
|       | Radios/Knox/MDC<br>Best Practices step 5                                 |                              |                |              |           |         |                |  |  |  |  |
|       | SCBA(s<br>Best Practice  |                              |                |              |           |         |                |  |  |  |  |
|       | Exterio<br>Best Practice   | or of Apparatus<br>ss step 7 |                |              |           |         |                |  |  |  |  |
|       | Lights<br>Best Practice  | is step 8                    |                |              |           |         |                |  |  |  |  |
|       | Wheels<br>Best Practice  | s/Rims/Tires<br>ss step 9    |                |              |           |         |                |  |  |  |  |
|       | Water/Foam Tanks<br>Best Practices step 10                               |                              |                |              |           |         |                |  |  |  |  |
|       | Pump/CAFS/Hose/Nozzles<br>Best Practices step 11                         |                              |                |              |           |         |                |  |  |  |  |
|       | Appliances/Adapters Best Practices step 12                               |                              |                |              |           |         |                |  |  |  |  |
|       | Compartments<br>Best Practices step 13                                   |                              |                |              |           |         |                |  |  |  |  |
|       | Medica<br>Best Practice  | al Response Equipment        |                |              |           |         |                |  |  |  |  |
|       | Extingu<br>Best Practice   |                              |                |              |           |         |                |  |  |  |  |
|       | Ground<br>Best Practice  | d Ladders<br>sstep 16        |                |              |           |         |                |  |  |  |  |
|       | Hand Tools<br>Best Practices step 17                                     |                              |                |              |           |         |                |  |  |  |  |
|       | Power<br>Best Practice   | ed Tools<br>step 18          |                |              |           |         |                |  |  |  |  |
|       | Generator/Inverter<br>Best Practices step 19                             |                              |                |              |           |         |                |  |  |  |  |
|       | Miscellaneous <ul> <li>Rehab/Water/Ice</li> </ul> Best Practices step 20 |                              |                |              |           |         |                |  |  |  |  |
| NAME: |  |                              |                | SIGNATURE:   |           |         |                |  |  |  |  |

Reference: MFR Best Practices D101: Care, Inspection, and Maintenance of Emergency Vehicles Sec. III.L.1-19

| <b>WCHAC</b> |   | WEEKLY APPARATUS CHECK |                         |              |                            |         |                |              |          |  |  |  |
|--------------|---|------------------------|-------------------------|--------------|----------------------------|---------|----------------|--------------|----------|--|--|--|
|              |   | DATE:                  | SHIFT:                  | UNIT:        | UNIT:                      |         | LICENSE PLATE: |              |          |  |  |  |
|              | THE - RESCUE  |                        | A1 A2 B1 B2 C1          | C2 ENG BT TE | N CM BAT                   | 501 511 |                |              |          |  |  |  |
| ✓            | ITEM  |                        | NOTES                   |              |                            |         |                |              |          |  |  |  |
|              | MDC Restart<br>Best Practices step 1  |                        |                         |              |                            |         |                |              |          |  |  |  |
|              | Steering Wheel Best Practices step 2  |                        |                         |              |                            |         |                |              |          |  |  |  |
|              | Brake Test<br>Best Practices step 3   |                        |                         |              |                            |         |                |              |          |  |  |  |
|              | Air Reservoirs<br>Best Practices step 4   |                        |                         |              |                            |         |                |              |          |  |  |  |
|              | Tire Pre  | ssure and Tread Depth  | PSI<br>Front Tires: L R |              | (forward d<br>īres (rear d | · –     | LI<br>LI       | _ RO<br>_ RO | RI<br>RI |  |  |  |
|              | Best Practices  | step 5                 | Tread Issues:           |              |                            |         |                |              |          |  |  |  |
|              | Engine<br>Best Practices  | Compartment<br>step 6  |                         |              |                            |         |                |              |          |  |  |  |
|              | Batterie<br>Best Practices  |                        |                         |              |                            |         |                |              |          |  |  |  |
|              | Electrica<br>Best Practices   | al System<br>step 8    |                         |              |                            |         |                |              |          |  |  |  |
|              | Brake Drums/Shoes Best Practices step 9   |                        |                         |              |                            |         |                |              |          |  |  |  |
|              | Exhaust System<br>Best Practices step 10  |                        |                         |              |                            |         |                |              |          |  |  |  |
|              | Suspension System Best Practices step 11  |                        |                         |              |                            |         |                |              |          |  |  |  |
|              | Fuel System<br>Best Practices step 12   |                        |                         |              |                            |         |                |              |          |  |  |  |
|              | Crankcase/Oil<br>Best Practices step 13   |                        | Oil Level:   High       | Normal   Low |                            |         |                |              |          |  |  |  |
|              | Cooling System<br>Best Practices step 14  |                        | Fluid Level:   High     | Normal   Low |                            |         |                |              |          |  |  |  |
|              | Transmission<br>Best Practices step 15  |                        | Fluid Level:   High     | Normal   Low |                            |         |                |              |          |  |  |  |
|              | Steering<br>Best Practices  | g System<br>step 16    | Fluid Level:   High     | Normal   Low |                            |         |                |              |          |  |  |  |
|              | Generator/Inverter Best Practices step 17   |                        |                         |              |                            |         |                |              |          |  |  |  |
|              | Miscellaneous<br>Best Practices step 18<br>Rescue Tools<br>Swift Water Gear<br>Rope Rescue Gear |                        |                         |              |                            |         |                |              |          |  |  |  |
| NAME:        |   |                        |                         | SIGNATURE:   |                            |         |                |              |          |  |  |  |

Reference: MFR Best Practices D101: Care, Inspection, and Maintenance of Emergency Vehicles Sec. III.M.1-18

| 1  | S S S S S S S S S S S S S S S S S S S                  | WEEKLY PUMPING APPARATUS FLOOR TEST |        |    |       |      |           |          |         |                |
|--|--|-------------------------------------|--------|----|-------|------|-----------|----------|---------|----------------|
|  |  | DATE:                               | SHIFT: |    |       |      | UNIT:     |          | T       | LICENSE PLATE: |
|  | ARE - RESCUE   |                                     | A1 A2  | B1 | B2 C1 | C2   | ENG BT TE | N CM BAT | 501 511 |                |
| •  | ITEM<br>Pump S   | hift/Engage                         | NOTES  |    |       |      |           |          |         |                |
|  | Best Practices   |                                     |        |    |       |      |           |          |         |                |
|  | Tank to<br>Best Practices                              |                                     |        |    |       |      |           |          |         |                |
|  | Primer<br>Best Practices step 3                        |                                     |        |    |       |      |           |          |         |                |
|  | Pump Throttle/Controller Mode<br>Best Practices step 4 |                                     |        |    |       |      |           |          |         |                |
|  | Recirculating Valve Best Practices step 5              |                                     |        |    |       |      |           |          |         |                |
| Pressure Govern<br>Best Practices step 6-7 |  |                                     |        |    |       |      |           |          |         |                |
|  |  | ge Caps/Gaskets<br>step 8-9         |        |    |       |      |           |          |         |                |
|  | Dischar<br>Best Practices                              | ge Valve Leaks<br>step 10-13        |        |    |       |      |           |          |         |                |
|  | Valve C  | ontrols/Indicators<br>step 14-17    |        |    |       |      |           |          |         |                |
|  | Gauge A  | Accuracy<br>step 18                 |        |    |       |      |           |          |         |                |
|  | Drain Valve Leaks<br>Best Practices step 19            |                                     |        |    |       |      |           |          |         |                |
|  | Pump Housing Leaks<br>Best Practices step 20           |                                     |        |    |       |      |           |          |         |                |
|  | Pump P<br>Best Practices                               | lumbing Leaks                       |        |    |       |      |           |          |         |                |
|  | Capped Outlet Leaks Best Practices step 22             |                                     |        |    |       |      |           |          |         |                |
|  | Control<br>Best Practices                              | ler Engine Idle Feature             |        |    |       |      |           |          |         |                |
|  | Drain V<br>Best Practices                              | alve Function                       |        |    |       |      |           |          |         |                |
|  | CAFS Te<br>Best Practices                              |                                     |        |    |       |      |           |          |         |                |
|  | Open Fo  | Dam Tank<br>step 25b                |        |    |       |      |           |          |         |                |
|  | Engage<br>Best Practices                               | Foam and Air Systems                |        |    |       |      |           |          |         |                |
|  | Establis<br>Best Practices                             | h CAFS Stream<br>step 25e           |        |    |       |      |           |          |         |                |
|  | Shut Down and Flush System<br>Best Practices step 25f  |                                     |        |    |       |      |           |          |         |                |
|  | Return<br>Best Practices                               | Unit to Service<br>step 25g         |        |    |       |      |           |          |         |                |
|  | Miscella   | aneous                              |        |    |       |      |           |          |         |                |
| NAME:                                      |  |                                     |        |    |       | SIGI | NATURE:   |          |         |                |

Reference: MFR Best Practices D101: Care, Inspection, and Maintenance of Emergency Vehicles Sec. III.N.1-25g

| MANCHACA                 |  | ANNUAL INSPECTIONS and PRESSURE TEST |                |         |               |         |                |  |  |  |  |  |
|--------------------------|--|--------------------------------------|----------------|---------|---------------|---------|----------------|--|--|--|--|--|
|                          |  | DATE:                                | SHIFT:         | UNI     | •             |         | LICENSE PLATE: |  |  |  |  |  |
|                          | TRE-RESCUE   |                                      | A1 A2 B1 B2 C1 | C2 ENG  | BT TEN CM BAT | 501 511 |                |  |  |  |  |  |
| ✓                        | ITEM   |                                      | NOTES          |         |               |         |                |  |  |  |  |  |
|                          | APPLIA<br>Best Practices                             | NCE VISUAL INSPECTION<br>step 1a-j   |                |         |               |         |                |  |  |  |  |  |
|                          | Obvious<br>Best Practices                            | s Damage<br>step 1a                  |                |         |               |         |                |  |  |  |  |  |
|                          | Threads/Storz Connections<br>Best Practices step 1b  |                                      |                |         |               |         |                |  |  |  |  |  |
|                          | Max Pressure Marked<br>Best Practices step 1c        |                                      |                |         |               |         |                |  |  |  |  |  |
| Waterv<br>Best Practices |  | /ay Clear<br>step 1d                 |                |         |               |         |                |  |  |  |  |  |
| Valve H<br>Best Practice |  |                                      |                |         |               |         |                |  |  |  |  |  |
|                          | Valve O<br>Best Practices                            | peration<br>step 1f                  |                |         |               |         |                |  |  |  |  |  |
|                          | Interna<br>Best Practices                            | l Gaskets<br>step 1g                 |                |         |               |         |                |  |  |  |  |  |
|                          | Swivel (<br>Best Practices                           | Connections<br>step 1h               |                |         |               |         |                |  |  |  |  |  |
|                          | Device<br>Best Practices                             |                                      |                |         |               |         |                |  |  |  |  |  |
|                          |  | NCE PRESSURE TEST<br>step 1j-2h      |                |         |               |         |                |  |  |  |  |  |
|                          | Valves<br>Best Practices                             |                                      |                |         |               |         |                |  |  |  |  |  |
|                          | Valve Leaks<br>Best Practices step 2c-e              |                                      |                |         |               |         |                |  |  |  |  |  |
|                          | Pressur<br>Best Practices                            | e Test: 50, 100, 150 psi<br>step 2f  |                |         |               |         |                |  |  |  |  |  |
|                          | Pressur<br>Best Practices                            | e Relief Valve<br>step 2f-h          | PRV Setting:   |         |               |         |                |  |  |  |  |  |
|                          | DUMP<br>Best Practices                               | TANK INSPECTION<br>step 3a-d         |                |         |               |         |                |  |  |  |  |  |
|                          | Frame I<br>Best Practices                            |                                      |                |         |               |         |                |  |  |  |  |  |
|                          | Tank Liner Secure to Frame<br>Best Practices step 3b |                                      |                |         |               |         |                |  |  |  |  |  |
|                          | Drain Sleeves<br>Best Practices step 3c              |                                      |                |         |               |         |                |  |  |  |  |  |
|                          | Tank Liner Damage<br>Best Practices step 3d          |                                      |                |         |               |         |                |  |  |  |  |  |
|                          | Miscella   | aneous                               |                |         |               |         |                |  |  |  |  |  |
| NAME:                    |  |                                      |                | SIGNATU | RE:           |         |                |  |  |  |  |  |

Reference: MFR Best Practices D101: Care, Inspection, and Maintenance of Emergency Vehicles Sec. III.O.1a-j. 2a-h